WIWA®

Your project deserves it.

WIWA DUOMIX 230 MINI

COMPACT AND CLASSY

WWW.WIWA.COM

WIWA DUOMIX 230 MINI

Compact and **classy**

With the development of the WIWA DUOMIX MINI, we have created the perfect link between our single and plural component product portfolio.

By reducing it to the essentials, we have managed to transfer our powerful DUOMIX technology into the framework of our proven single component systems. The result: the ideal entry-level unit for all plural component applications.
Powerful, user-friendly and compact, this new product combines the strengths of both worlds to your advantage - in the new WIWA DUOMIX MINI.

Advantages

- Inexpensive
- Mobile and compact
- HAZLOC certified (no electrical components)

Your project deserves it.

Application areas

- Carpentries
- Painting and varnishing companies
- Machine and vehicle construction
- Steel and hall construction
- Steel processing industry

Materials

- Primers
- Sprayable varnishes and paints
- Textured varnish
- Hammer finish paint
- Rust protection and micaceous iron oxide paints
- Low-solvent and solvent-free paints
- Stains
- Waterborne paints
- Clear lacquers
- Plural component materials with long pot lives



Technical data WIWA DUOMIX 230 MINI with direct suction				
Max. output per DS (cm³ / fl oz)	Pressure ratio	Mixing ratio	Part No. (stainless)	Part No. (carbon)
144,4 / 4,9	40:1	1:1	0669831	0670061
96,7 / 3,3	60:1	1:1	0670075	0670078
144,3 / 4,9	40:1	2:1	0669832	0670062
96,3 / 3,3	61:1	2:1	0670076	0670079
128,3 /4,3	45:1	3:1	0669833	0670063
96,5 / 3,3	60:1	3:1 (2,97:1)	0670077	0670080
120,5 / 4,1	48:1	4:1 (3,96:1)	0669834	0670064
115,6 / 3,9	50:1	5:1 (4,95:1)	0669835	0670065
168,7 / 5,7	34:1	6:1 (5,94:1)	0669836	0670066

i An optional kit for converting to air-assisted airless spraying is available separately (part No.: 0669826). As an alternative to direct suction, you can order 6-liter (1.5 gal.) funnels for the A side (part no.: 0669827) and the B side (part no.: 0669828).

WIWA®

WIWA Wilhelm Wagner GmbH & Co. KG
WIWA Wilhelm Wagner GmbH & Co. KG
@wiwa_airless_global_hq
+49 (0) 6441 609-0
info@wiwa.de

Head Office and Production Germany
WIWA Wilhelm Wagner GmbH & Co. KG
Gewerbestraße 1-3
35633 Lahnau
Phone: +49 (0) 64 41 / 6 09-0
www.wiwa.com

WIWA Subsidiary USA
WIWA LLC – USA, Canada, Latin America
107 N. Main St., Alger, OH 45812
Phone: +1-419-757-0141
Toll-Free: +1-855-757-0141
www.wiwausa.com

ISO 9001
BUREAU VERITAS
Certification